

---

---

---

## Reasoning in Description Logic

INFS4206/INFS7206

School of Information Technology and Electrical Engineering

Semester 2, 2006



### What is logic?

- ▶ The art of reasoning
- ▶ The art of **formal** reasoning
- ▶ The art of formal reasoning **about true/false statements**
- ▶ The study of valid inference patterns. How to derive **valid** conclusions from **given** premises

## Logic, logic and logic!

- ▶ Propositional logic
  - ▶ proposition and connective for propositions (propositions are true or false)
  - ▶  $p \wedge q$
- ▶ First-Order Logic
  - ▶ predicates, constants, variables, quantifiers to build propositions
  - ▶  $\forall x \exists y (P(x) \wedge Q(y))$
- ▶ Description Logic
  - ▶ Concepts, Roles, Concept constructors
  - ▶  $C \sqcap D$

## Representing knowledge in Description Logics

A **Knowledge Base** (KB) in Description Logic consists of

**TBox**: Concepts definitions

- ▶ equivalence axioms  $C \equiv D$

$$\text{Course} \equiv \text{ITcourse} \sqcap \text{EEcourse}$$

- ▶ inclusion axioms  $C \sqsubseteq D$

$$\text{Lecturer} \sqsubseteq \exists \text{teaches. Course}$$

**ABox**: individual assertions

$$\text{Lecturer}(\text{GUIDO})$$

$$\text{takes}(\text{S123}, \text{INFS4206})$$

$$\forall \text{teaches.ITcourse}(\text{BOB})$$

$$\text{Course}(\text{COMP6801})$$

## Your homework (Part 1)

Give suitable names to the concepts introduced as examples, and include them in a knowledge base

$$\text{CommonCourses} \equiv \text{ITcourse} \sqcap \text{EEcourse}$$

$$\text{ITstudent} \sqsubseteq \text{Student} \sqcap \forall \text{takes}.\text{ITcourse}$$

$$\text{TeachingStaff} \sqsubseteq \text{Lecturer} \sqcap \exists \text{teaches}.\top$$

$$\text{ITEECourses} \equiv \text{ITcourse} \sqcup \text{EEcourse}$$

$$\text{EElecturer} \sqsubseteq \exists \text{teaches}.\text{EEcourse}$$

$$\text{BusyLecturer} \sqsubseteq \geq 2 \text{teaches}$$

$$\text{BusyITEELecturer} \sqsubseteq \geq 2 \text{teaches} . (\text{ITcourse} \sqcap \text{EEcourse})$$

$$\text{IHaveNoIdea} \equiv \neg(\text{Student} \sqcap \text{Lecturer})$$

$$\text{GuidoCourseThisSemester} \equiv \{\text{INFS4206}, \text{INFS1200}, \text{INFS4203}\}$$

$$\text{GuidoCourse} \equiv \text{teaches} : \text{GUIDO}$$

## Your homework (Part 2)

Write in Description Logic (you can use all constructors given in this lecture) the sentences of slides “Valuation of  $\forall$  and  $\exists$  (1) and (2)”

- ▶ There is a lecturer who teaches INFS4206

$$\text{Lecturer} \sqcap \exists \text{teaches} . \{\text{INFS4206}\}$$

$$\text{Lecturer} \sqcap \text{teaches}^- : \text{INFS4206}$$

$$\{\text{INFS4206}\} \sqsubseteq \exists \text{teaches}^- . \text{Lecturer}$$

- ▶ Guido teaches every course

$$\text{Course} \sqsubseteq \text{teaches} : \text{GUIDO}$$

- ▶ Bob teaches some courses

$$\{\text{BOB}\} \sqsubseteq \exists \text{teaches} . \text{Course}$$

## Your homework (Part 2)

Write in Description Logic (you can use all constructors given in this lecture) the sentences of slides “Valuation of  $\forall$  and  $\exists$  (1) and (2)”

- ▶ Every lecturer teaches at least one course

$$\text{Lecturer} \sqsubseteq \exists \text{teaches.Course}$$

- ▶ Every student teaches at least one course

$$\text{Student} \sqsubseteq \exists \text{teaches.Course}$$

- ▶ There a student who teaches every course

???

## Reasoning about TBoxes

**Satisfiability** A concept  $C$  is **satisfiable** wrt a TBox  $\mathcal{T}$  iff (if and only if) there is a model  $\mathcal{I}$  of  $\mathcal{T}$  such that  $C^{\mathcal{I}}$  is not empty.

**Subsumption** A concept  $C$  is **subsumed** by a concept  $D$  wrt  $\mathcal{T}$  iff for every model  $\mathcal{I}$  of  $\mathcal{T}$  we have  $C^{\mathcal{I}} \subseteq D^{\mathcal{I}}$ . And we denote it by  $\mathcal{T} \models C \sqsubseteq D$ .

**Equivalence** Two concepts  $C$  and  $D$  are **equivalent** wrt  $\mathcal{T}$  iff for every model  $\mathcal{I}$  of  $\mathcal{T}$  we have  $C^{\mathcal{I}} = D^{\mathcal{I}}$ . And we denote it by  $\mathcal{T} \models C \equiv D$ .

**Disjointness** Two concepts  $C$  and  $D$  are **disjoint** wrt  $\mathcal{T}$  iff for every model  $\mathcal{I}$  of  $\mathcal{T}$  we have  $C^{\mathcal{I}} \cap D^{\mathcal{I}} = \emptyset$ .

## Two kinds of knowledge

There are two kinds of derived knowledge

- ▶ knowledge/inferences depending on the definitions of the concepts in a TBox

$$\left\{ \begin{array}{l} Student \sqsubseteq \neg Lecturer, \\ Lecturer \sqsubseteq \exists teaches.Course \end{array} \right\} \models Student \sqsubseteq \neg \exists teaches.Course$$

- ▶ knowledge/inferences depending on the logical structure of the concepts

$$\models \exists teaches.ITcourse \sqsubseteq \exists teaches.(ITcourse \sqcup EEcourse)$$

## Reduction to subsumption

### Theorem

For concepts  $C$  and  $D$  we have

- ▶  $C$  is unsatisfiable iff  $\models C \sqsubseteq \perp$
- ▶  $\models C \equiv D$  iff  $\models C \sqsubseteq D$  and  $\models D \sqsubseteq C$
- ▶  $C$  and  $D$  are disjoint iff  $\models C \sqcap D \sqsubseteq \perp$

## Reduction to unsatisfiability

### Theorem

For concepts  $C$  and  $D$  we have

- ▶  $\models C \sqsubseteq D$  iff  $C \sqcap \neg D$  is unsatisfiable
- ▶  $\models C \equiv D$  iff both  $C \sqcap \neg D$  and  $\neg C \sqcap D$  are unsatisfiable
- ▶  $C$  and  $D$  are disjoint iff  $C \sqcap D$  is unsatisfiable

## Reducing unsatisfiability

### Theorem

Let  $C$  be a concept. The following are equivalent

- ▶  $C$  is unsatisfiable
- ▶  $\models C \sqsubseteq \perp$
- ▶  $\models C \equiv \perp$
- ▶  $C$  and  $\top$  are disjoint

## Reasoning about ABoxes

An ABox  $\mathcal{A}$  is **consistent** wrt to a TBox  $\mathcal{T}$  iff there is an interpretation  $\mathcal{I}$  which is a model of both  $\mathcal{A}$  and  $\mathcal{T}$ .

**Instance checking** An assertion  $\alpha$  is **entailed** by  $\mathcal{A}$  ( $\mathcal{A} \models \alpha$ ) iff every model  $\mathcal{I}$  of  $\mathcal{A}$  is also a model of  $\alpha$ .

**Equivalently**  $\mathcal{A} \models C(a)$  iff  $\mathcal{A} \cup \{\neg C(a)\}$  is inconsistent

### Theorem

*A concept  $C$  is satisfiable iff  $\{C(a)\}$  is consistent for an arbitrary  $a$*

## Structural subsumption algorithm for $\sqcap$ , $\forall R.C$ , atomic negation and $\perp$

- ▶ Syntactical mechanism that works for simple description logics
- ▶ based on substitution of fundamental equivalences
  - ▶  $A \sqcap A \equiv A$
  - ▶  $A \sqcap B \equiv B \sqcap A$
  - ▶  $A \sqcap (B \sqcap C) \equiv (A \sqcap B) \sqcap C \equiv A \sqcap B \sqcap C$
  - ▶  $\forall R.(A \sqcap B) \equiv (\forall R.A) \sqcap (\forall R.B)$
  - ▶  $A \sqcap \neg A \equiv \perp$
  - ▶  $A \sqcap \perp \equiv \perp$

## Normal Forms

- ▶ an atomic concept ( $A$ ) is in normal form
- ▶ the negation of an atomic concept ( $\neg A$ ) is in normal form
- ▶  $\perp$  is in normal form
- ▶  $C$  is in normal form if has the following form

$$A_1 \sqcap \dots \sqcap A_n \sqcap \forall R_1.C_1 \sqcap \dots \sqcap \forall R_m.C_m$$

where  $A_1, \dots, A_n$  are atomic concepts,  $R_1, \dots, R_m$  are distinct roles, and  $C_1, \dots, C_m$  are concepts in normal forms.

### Theorem

*Every concept  $C$  is equivalent to a concept  $C'$  in normal form.*

## Checking for subsumption

- ▶  $\perp$  is subsumed by every concept
- ▶  $D$  subsumes  $C$  (or  $C$  is subsumed by  $D$ ) if

$$D = A_1 \sqcap \dots \sqcap A_n \sqcap \forall R_1.D_1 \sqcap \dots \sqcap \forall R_k.D_k$$

and

$$C = B_1 \sqcap \dots \sqcap B_m \sqcap \forall S_1.C_1 \sqcap \dots \sqcap \forall S_l.C_l$$

and

- ▶ for every  $i$ ,  $1 \leq i \leq n$  there is  $j$ ,  $1 \leq j \leq m$  such that  $A_i = B_j$   
and
- ▶ for every  $i$ ,  $1 \leq i \leq k$  there is  $j$ ,  $1 \leq j \leq l$  such that  $R_i = S_j$   
and  $C_j \sqsubseteq D_i$ .

---


---

---

## Examples

- ▶  $A \sqsubseteq A$
- ▶  $A \sqcap B \sqsubseteq A$
- ▶  $\forall R.(A \sqcap B) \sqsubseteq \forall R.A$
- ▶  $A \sqcap B \sqcap \forall R.(C \sqcap D \sqcap \forall S.E) \sqcap \forall T.\perp \sqsubseteq B \sqcap \forall T.F \sqcap \forall R.(C \sqcap \forall S.E)$

## Readings

-  Franz Baader and Werner Nutt. *Basic Description Logics*. In Baader, Calvanese, McGuinness Nardi and Patel-Schneider, (eds). **The Description Logics Handbook**, chapter 2, pages 43-95. Cambridge University Press, 2003. Sections 2.2.2.1, 2.2.2.2, 2.2.3, 2.2.4, 2.3.1