

Bibliography

- [1] A. Alesina and M. G. B. Venturini. Analysis and design of optimum-amplitude nine-switch direct ac-ac converters. *IEEE Trans. Power Electronics*, 4(1):101–112, January 1989.
- [2] Fernando M. Antunes, Henrique A. C. Braga, and Ivo Barbi. Application of a generalized current multilevel cell to a current source inverter. *IEEE IECON'95*, 1:278–283, 1995.
- [3] Johnson A. Asumadu and Richard G. Hoft. New algorithms for generation of notches in PWM waveforms using linear block codes. *IEEE PESC'92*, pages 465–472, 1992.
- [4] Pervez M. Aziz, Henrik V. Sorensen, and Jan VanDerSpiegel. An overview of sigma-delta converters. *IEEE Signal Processing Magazine*, 13(1):61–84, January 1996.
- [5] P. Biringer and M. Slonim. Determination of harmonics of converter current and/or voltage waveforms (new method for fourier coefficient calculations), part I: Fourier coefficients of homogeneous functions. *IEEE Trans. Industry Applications*, 1A-16(2):242–247, March 1980.
- [6] Harold S. Black. *Modulation theory*. Van Nostrand, Princeton, N.J., 1953.
- [7] Bimal K. Bose, editor. *Power Electronics and Variable Frequency Drives*. IEEE Press, New York, 1997.
- [8] S. Bowes and P. Clark. Regular-sampled harmonic-elimination PWM control of inverter drives. *IEEE Trans. Power Electronics*, 10(5):521–531, September 1995.
- [9] S. R. Bowes and A. Midoun. Suboptimal switching strategies for microprocessor controlled PWM inverter drives. *IEE Proc B. Electric Power Applications*, 132(3):133–148, May 1985.
- [10] Sidney R. Bowes. Advanced regular-sampled PWM control techniques for drives and static power converters. *IEEE IECON'93*, pages 662–669, 1993.
- [11] J. T. Boys and S. J. Walton. A loss minimised sinusoidal pwm inverter. *IEE Proc-B*, 132(5):260–268, September 1985.

- [12] David M. Brod and Donald W. Novotny. Current control of VSI PWM inverters. *IEEE Trans Industry Applications*, IA-21(4), May 1985.
- [13] James C. Candy and Gabor C. Temes, editors. *Oversampling delta-sigma data converters : theory, design and simulation*. IEEE Press, Piscataway, NJ, 1992.
- [14] Giuseppe Carrara, Simone Gardella, Mario Marchesoni, Raffaele Salutati, and Giuseppe Sciutto. A new multilevel PWM method: A theoretical analysis. *IEEE Trans. Power Electronics*, 7(3):497–505, July 1992.
- [15] P. Doulai and G. Ledwich. Microcontroller based strategy for reactive power control and distortion compensation. *IEE Proc B. Electric Power Applications*, 137(6):364–372, November 1990.
- [16] P. N. Enjeti, P. D. Ziogas, and J. F. Lindsay. Programmed PWM techniques to eliminate harmonics: a critical evaluation. *IEEE Trans. Industry Applications*, 26(2):302–16, March-April 1990.
- [17] H. Ertl, J. W. Kolar, and F. C. Zach. Basic considerations and topologies of switched-mode assisted linear power amplifiers. *IEEE Trans. Industrial Electronics*, 44(1):116–23, February 1997.
- [18] William H. Press ... [et al.]. *Numerical recipes : the art of scientific computing*. Cambridge Cambridge University Press, 1986.
- [19] Frank M. Flinders, Peter J. Wolfs, and Ken C. Kwong. Improved techniques for switching power amplifiers. *IEEE Trans. Power Electronics*, 8(4):673–679, October 1993.
- [20] Gerald B. Folland. *Fourier Analysis and its Applications*. Brooks/Cole, California, 1992.
- [21] H. Fujita, S. Tominaga, and H. Akagi. Analysis and design of an advanced static VAR compensator using quad-series voltage-source inverters. *IEEE Industry Apps Meeting*, 3:2565–2572, 1995.
- [22] G. A. Goodarzi and R. G. Hoft. GTO inverter optimal PWM waveform. *1987 IEEE Industry Applications Society Annual Meeting*, 1:312–16, 1987.
- [23] T. C. Green, J. C. Salmon, and B. W. Williams. Investigation of delta modulation spectra and of sub-harmonic elimination techniques. *IEEE PESC'88*, pages 290–297, April 1988.
- [24] F. Hamma, T. Meynard, F. Tourkhani, and P. Viarouge. Characteristics and design of multilevel choppers. *PESC'95*, 2:1208–1214, 1995.
- [25] Peter W. Hammond. A new approach to enhance power quality for medium voltage AC drives. *IEEE Trans. Industry Applications*, 33(1):202–208, January 1997.
- [26] P. G. Handley and J. T. Boys. Resolution corrected modulation: the practical realisation of ideal PWM waveforms. *IEE Proc-B*, 139(4):402–408, July 1992.

- [27] T. Hasegawa, T. Betsui, S. Ohnishi, M. Takeda, M. Seto, S. Murakami, and T. Kohan. Development of a large-capacity static VAR generator using self-commutated inverters for improving power transmission system stability. *Electrical Engineering in Japan*, 113(1):80–97, 1993.
- [28] D. G. Holmes. The significance of zero space vector placement for carrier based PWM schemes. *IEEE Transactions on Industry Applications*, 32(5):1122–1129, September 1996.
- [29] Donald G. Holmes. The general relationship between regular-sampled pulse-width-modulation and space vector modulation for hard switched converters. *IEEE Industry Applications Meeting 1992*, 1:1002–1009, 1992.
- [30] Donald G. Holmes. A unified modulation algorithm for voltage and current source inverters, based on AC-AC matrix converter theory. *IEEE Trans. Industrial Applications*, 28(1):31–40, January 1992.
- [31] Joachim Holtz and Bernd Beyer. Optimal pulsewidth modulation for AC servos and low-cost industrial drives. *IEEE Industry Applications Meeting 1992*, 1:1010–1017, 1992.
- [32] Joachim Holtz and Bernd Beyer. Optimal synchronous pulsewidth modulation with a trajectory tracking scheme for high dynamic performance. *IEEE APEC'92*, pages 147–154, 1992.
- [33] Young-Seok Kim, Boem-Seok Seo, and Dong-Seok Hyun. A new N-level high voltage inversion system. *IEEE IECON 93*, 2:1252–1257, November 1993.
- [34] J. Kolar, G. Kamath, N. Mohan, and F. Zach. Self-adjusting input current ripple cancellation of coupled parallel connected hysteresis-controlled boost power factor correctors. *PESC'95*, 1:164–173, 1995.
- [35] M. Koyama, T. Fujii, R. Uchida, and T. Kawabata. Space voltage vector-based new PWM method for large capacity three-level GTO inverter. In *Industrial Electronics Conference, IECON '92*, volume 1, pages 271–276, 1992.
- [36] Erwin Kreyszig. *Advanced Engineering Mathematics*. John Wiley, New York, 1999.
- [37] G. F. Ledwich and P. Doulai. Multiple converter performance and active filtering. *IEEE Trans. Power Electronics*, 10(3):273–9, May 1995.
- [38] J. X. Lee and W. J. Bonwich. On-line suboptimal PWM strategy for AC driver. In *Australasian Universities Power Engineering Conference*, volume 1, pages 182–187, September 1994.
- [39] F. Blaabjerg M. M. Bech, J. K. Pedersen and A. M. Trzynadlowski. A methodology for true comparison of analytical and measured frequency domain spectra in random PWM converters. *IEEE Trans. Power Electronics*, 14(3):578–586, May 1999.

- [40] L. Malesani and P. Tenti. A novel hysteresis control method for current-controlled voltage-source PWM inverters with constant modulation frequency. *IEEE Trans. Industry Applications*, 26(1):88–92, January 1990.
- [41] L. Malesani, P. Tenti, E. Gaio, and R. Piovani. Improved current control technique of VSI PWM inverters with constant modulation frequency and extended voltage range. *IEEE Trans. Industry Applications*, 27(2):365–369, March 1991.
- [42] M. Marchesoni. High performance current control techniques for application to multilevel high-power voltage source inverters. *IEEE Trans. Power Electronics*, 7(1):189–204, January 1992.
- [43] K. Matsui, Y. Murai, M. Watanabe, M. Kaneko, and F. Ueda. A pulsewidth modulated inverter with parallel connected transistors using current-sharing reactors. *IEEE Trans. Power Electronics*, 8(2):186–191, April 1993.
- [44] R. W. Menzies, P. Steimer, and J. K. Steinke. Five-level GTO inverters for large induction motor drives. *IEEE Trans. Industry Applications*, 30(4):938–44, July-Aug. 1994.
- [45] T. Meynard and H. Foch. Dispositif électronique de conversion d'énergie électrique. *French Patent no 91.09582*, July 1991.
- [46] T. Meynard and H. Foch. Multi-level conversion: High voltage choppers and voltage source inverters. *IEEE PESC'92*, pages 397–403, 1992.
- [47] T. Meynard and H. Foch. Imbricated cells multi-level voltage source inverters for high voltage applications. *European Power Electronics Journal*, 3(2):99–106, June 1993.
- [48] B. Miwa, D. Otten, and M. Schlecht. High efficiency power factor correction using interleaving techniques. *APEC'92*, pages 557–568, 1992.
- [49] N. Mohan, T. Undeland, and W. Robbins. *Power Electronics: Converters, Applications and Design*. Wiley, Brisbane, 1989.
- [50] B. Mwinyiwiwa, Z. Wolanski, and Boon-Teck Ooi. High power switch mode linear amplifiers for flexible AC transmission system. *IEEE PES Winter Meeting*, January 1996.
- [51] A. Nabae, I. Takahashi, and H. Akagi. A new neutral-point-clamped PWM inverter. *IEEE Trans. Industry Applications*, IA-17(5):518–523, September 1981.
- [52] Guy Olivier, George-Emile April, Eloi Ngandui, and Carlos Guimaraes. Novel transformer connection to improve current sharing in high current DC rectifiers. *IEEE Trans. Industry Applications*, 13:127–133, jan 1995.
- [53] Derek A. Paice. *Power electronic converter harmonics : multipulse methods for clean power*. IEEE Press, Piscataway, NJ, 1996.

- [54] H. S. Patel and R. G. Hoft. Generalised techniques of harmonic elimination and voltage control in thyristor inverters: Part I — harmonic elimination. *IEEE Trans. Industry Applications*, IA-9(3):310–317, May 1973.
- [55] H. S. Patel and R. G. Hoft. Generalised techniques of harmonic elimination and voltage control in thyristor inverters: Part II — voltage control techniques. *IEEE Trans. Industry Applications*, IA-10(5):666–673, September 1974.
- [56] Fang Zheng Peng and Jih-Sheng Lai. Multilevel converters - A new breed of power converters. *IEEE Trans. Industry Apps*, 32(3):509–517, May 1996.
- [57] Fang Zheng Peng, Jih-Sheng Lai, John McKeever, and James VanCoevinger. A multilevel voltage-source inverter with separate DC sources for static VAR generation. *IEEE Industry Apps Meeting*, 3:2541–2548, 1995.
- [58] Muhammad H. Rashid. *Power Electronics: Circuits, Devices, and Applications*. Prentice Hall, Sydney, 1993.
- [59] G. Sinha and T. A. Lipo. A four level rectifier inverter system for drive applications. *IEEE Industry Apps Meeting*, 2:980–7, 1996.
- [60] H. Stemmler. Power electronics in electric traction applications. *IEEE conference of Industrial Electronics, Control and Instrumentation, IECON'93*, 2:707–713, 1993.
- [61] Fred Swift and Adam Kamberis. A new walsh domain technique of harmonic elimination and voltage control in pulse-width modulated inverters. *IEEE Trans. Power Electronics*, 8(2):170–185, April 1993.
- [62] Y Tzou. DSP-based fully digital control of a PWM DC-AC converter for AC voltage regulation. *PESC'95*, 1:138–144, 1995.
- [63] B. Velaerts, P. Mathys, and G. Bingen. New developments of three-level PWM strategies. *EPE Aachen, 1989*, pages 411–416, 1989.
- [64] B. Velaerts, P. Mathys, E. Tatakis, and G. Bingen. A novel approach to the generation an optimisation of three-level PWM waveforms. In *Power Electronics Specialists Conference, PESC '88*, pages 1255–1262, 1988.
- [65] G. Walker and G. Ledwich. An isolated MOSFET gate driver. In *Australasian Universities Power Engineering Conference, AUPEC'96*, volume 1, pages 175–180, Melbourne, October 1996.
- [66] L. Walker. 10-MW GTO converter for battery peaking service. *IEEE Trans. Industry Applications*, 26(1):63–72, January 1990.
- [67] P. Wolfs and G. Ledwich. New methods of spectral analysis for pulse width modulators. *ISSPA '87*, pages 897–902, August 1987.
- [68] P. J. Wolfs, G. F. Ledwich, and K. C. Kwong. The application of the duality principle to nonplanar circuits. *IEEE Trans. Power Electronics*, 8(2):104–11, April 1993.

- [69] Peter J Wolfs. *High frequency link power conversion*. Ph.D. thesis, University of Queensland, 1992.
- [70] Peter Wood. *Switching Power Converters*. Van Nostrand Reinhold, New York, 1981.
- [71] Y. Yoshioka, S. Konishi, N. Eguchi, M. Yamamoto, K. Endo, K. Maruyama, and K. Hino. Self-commutated static flicker compensator for arc furnaces. In *IEEE Applied Power Electronics Conference*, volume 2, pages 891–897, 1996.
- [72] Z. Zhang, J. Kuang, X. Wang, and B. Ooi. Force commutated HVDC and SVC based on phase-shifted multi-converter modules. *IEEE Trans. Power Delivery*, 8(2):712–718, April 1993.
- [73] Z. Zhang and B. Ooi. Multimodular current source SPWM converters for a superconducting magnetic energy storage system. *IEEE Trans. Power Electronics*, 8(3):250–256, July 1993.
- [74] P. D. Ziogas. The delta modulation technique in static PWM inverters. *IEEE Trans Industrial Applications*, IA-17(2):199–204, March 1981.